



बैजनाथ गाउँपालिका गाउँ कार्यपालिकाको कार्यालय



पत्र सं. : २०८२/०८३

चलानी नं. :



रामपुर, बाँके
लुम्बिनी प्रदेश, नेपाल

न्यूनतम दर रेट (प्रति इकाई मूल्य) निर्धारण गर्ने प्रयोजन सम्बन्धि सूचना ।

(प्रथम पटक प्रकाशित मिति: २०८२/०९/२८)

यस गाउँपालिकाको आ.व. २०८२।०८३ को स्वीकृत वार्षिक कार्यक्रम/परियोजना किसानसँग पालिका प्रमुख कार्यक्रम अन्तर्गत तपशिलमा उल्लेख गरिएका कृषि तथा पशुपालन सम्बन्धि औजार, यन्त्र, उपकरण तथा सामग्रीको न्यूनतम दर रेट (प्रति इकाई मूल्य) निर्धारण गर्नुपर्ने भएकाले इच्छुक आपूर्तिकर्ता/फर्म/कम्पनीलाई रित पूर्वक बजारमा प्रचलित न्यूनतम दर रेट (प्रति इकाई मूल्य) सिलबन्दी गरि २०८२।१०।१२ गते भित्र यस कार्यालयमा पेश गर्न यसै सूचना मार्फत आव्हान गरिन्छ।

आवश्यक कागजातहरू

- कार्यालयले तोकेको ढाँचाको दर रेट (प्रति एकाई मूल्य) पेश गरेको सकल पत्र
- फर्म/कम्पनी दर्ताको प्रमाण पत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
- आ.व. २०८१।०८२ को करचुक्ता प्रमाण पत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
- आधिकारिक विक्रेता वा आधिकारिक डिलरसिप प्रमाणपत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
- कार्यालयले तोकेको ढाँचामा आफ्नो लेटरहेडमा कृषि तथा पशुपालन सम्बन्धि औजार, यन्त्र, उपकरण तथा सामग्रीको विस्तृत स्पेसिफिकेशन एक।एक प्रति ।

तपशिल:

Description	Description
Power Tiller	Digital Balance
Mini Tiller	Sprayer
E- Loader	Plastic pipe
Chaff- Cutter	cotton pipe
Cultivator	Section Pipe
panir Pressing machine	tunnel plastic
Pumpset Diesel	mulching Plastic
Pumpset Petrol	
नोट: निवेदनको ढाँचा तथा स्पेसिफिकेशन कार्यालय वा कार्यालयको website: baijanathmun.gov.np बाट प्राप्त गर्न सकिनेछ ।	

कमल राज उपाध्याय
प्रमुख प्रशासकीय अधिकृत

इच्छुक फर्म। कम्पनी। संस्थाले यही निवेदनको ढाँचामा आफ्नो लेटरप्याडमा स्पेशिफिकेशन समेत खुलाई पेश गर्नुपर्ने

मिति:

श्रीमान् प्रमुख प्रशासकीय अधिकृतज्यू,
बैजनाथ गाउँपालिका,
गाउँ कार्यपालिकाको कार्यालय,
रामपुर, बाँके।

बिषय: दर रेट(प्रति एकाई मूल्य) पेश गरेको सम्बन्धमा।

प्रस्तुत बिषयका सम्बन्धमा तहाँ गाउँपालिकाद्वारा आ.व. २०८२।०८३ को स्वीकृत वार्षिक कार्यक्रम किसानसँग पालिका प्रमुख कार्यक्रम अन्तर्गत कृषि तथा पशुपालन सम्बन्धि औजार, यन्त्र, उपकरण तथा सामग्रीको न्यूनतम दर रेट (प्रति इकाई मूल्य) निर्धारण गर्ने प्रयोजनको लागि मिति २०८२।०९।२८ गते प्रकाशित सूचनामा उल्लेख भए बमोजिमका कृषि तथा पशुपालन सम्बन्धि औजार, यन्त्र, उपकरण तथा सामग्रीको दररेट(प्रति इकाई मूल्य) तपशिल बमोजिम रहेको व्यहोरा अनुरोध गर्दछु।

साथै मेरो व्यक्तिगत वा मेरो फर्म। कम्पनीको तहाँ कार्यालयद्वारा प्रकाशित सूचनामा उल्लेखित न्यूनतम दर रेट निर्धारण गर्ने प्रयोजन सम्बन्धि कार्यका लागि प्रचलित कानून बमोजिम अयोग्य नरहेको, सम्बन्धित पेशा वा व्यवसाय सम्बन्धी कसूरमा आफूले सजाय नपाएको, उल्लेखित कार्यका लागि आफ्नो स्वार्थ नबाझिएको स्वघोषणा गर्दछु। झुठा ठहरिए प्रचलित कानून बमोजिम सहुँला बुझाउँला।

सँलग्न कागजातहरू:

१. कार्यालयले तोकेको ढाँचाको दर रेट(प्रति इकाई मूल्य) पेश गरेको सङ्कल पत्र,
२. फर्म। कम्पनी दर्ताको प्रमाण पत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
३. आ.व. २०८१।०८२ को करचुक्ता प्रमाण पत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
४. आधिकारिक विज्ञेता वा डिलरसिप प्रमाणपत्रको नोटरी क्लबद्वारा प्रमाणित प्रतिलिपी
५. सूचनामा उल्लेखित औजार, यन्त्र, उपकरण तथा सामग्रीको विस्तृत स्पेशिफिकेशन

तपशिल:

Description	Offered Specification	Unit	Qty	Per Unit Cost(In Rs)		Remarks
				In Number	In Words	
Power Tiller		Piece	1			
Mini Tiller		Piece	1			
E- Loader		Piece	1			
Chaff- Cutter		Piece	1			
Cultivator		Piece	1			

इच्छुक फर्म। कम्पनी। संस्थाले यही निवेदनको ढाँचामा आफ्नो लेटरप्याडमा स्पेशिफिकेशन समेत खुलाई पेश गर्नुपर्ने

Pumpset Diesel		Piece	1			
Pumpset Petrol		Piece	1			
Digital Balance		Piece	1			
Sprayer		Piece	1			
Plastic pipe		kg	1			
cotton pipe		roll	1			
Section Pipe		feet	1			
tunnel plastic		kg	1			
mulching Plastic		roll	1			
Power Tiller, Mini Tiller, E-Loader, Chaff cutter, Diesel Pumpset and Petrol Pumpset को विस्तृत स्पेशिफिकेशन कार्यालयबाट उपलब्ध भएको ढाँचामा यसै साथ सँगसँगै राखि पेश गरिएको व्यहोरा समेत अनुरोध गरिन्छ।						

पेश गर्ने:

छाप र हस्ताक्षर

प्रोपराइटर वा आधिकारिक प्रतिनिधिको नाम:


फर्म। कम्पनीको नाम:

इच्छुक फर्म। कम्पनी। संस्थाले यही निवेदनको ढाँचामा आफ्नो लेटरप्याडमा स्पेशिफिकेशन समेत खुलाई पेश गर्नुपर्ने

GENERAL SPECIFICATION	
Description	Specification
Power Tiller	Self start with battrey backup, Disel Engine
Mini Tiller	Self start, Disel Engine
E- Loader	Motor Power: at least 1800/ watt DC motor,electric
Chaff- Cutter	horse power: upto 3 HP, Electric
Cultivator	Atleast 7 ft
Pumpset Disel	4/ 5 HP, Atleast 3 Inch
Pumpset Petrol	4/5 5 HP, At least 3 Inch
Digital Balance	Capacity:Upto 100 Kg
Sprayer	Tank Capacity: 16 liter, Plastic Body, Chargable
Plastic pipe	Atleast 3 inch,Per Kilogram
cotton pipe	At least 3 inch, 30m in a roll
Section Pipe	atleast 3 inch, Per feet
tunnel plastic	Per Kg
mulching Plastic	400 meter length in a roll
नोट: Power Tiller, Mini Tiller,E-Loader, Chaff cuuter, Disel Pumpset and Petrol Pumpset को विस्तृत स्पेशीफिकेशनको लागि कार्यालयको कृषि विकास शाखामा सम्पर्क राख्न सकिनेछ।	

Baijanath Rural Municipality
Office of Rural Executive
Rampur, Banke
Specification of E-loader


S.N	Particulars/Parameters	Required Specification	Offered
A	General Application	The machine should be capable of Transporting Agricultural inputs/crops/Commodities/products	
1	Make Model	Any	
2	Overall Size (mm)	Approx. 3300x1150mm $\pm 5\%$ Wheel base 2150 mm $\pm 5\%$	
3	Suspension	Front: min 50 mm hydraulic with spring Rear: 9 layer leaf spring	
4	Tyres	Front: 1no of 4.5x12 ply rating 8 Rear: 2no of 4.5x12 ply rating 8	
5	Motor power	1800/2000 Watt DC motor	
6	Battery	5/6 no 140/160Ah 12V lead acid battery	
7	Charger	60 V DC charger with adjustable current knob 0-10	
8	Charging time (Hrs.) Controller Converter charger	8- 10 hrs. 60 volt – 1800/2000 watt 15-20 Amp 60 Volt Copper charger	
9	Transmission differential	Geared 45" heavy duty 40 kg	
10	Ground clearance	Min 180 mm	
11	Gross weight	1250 $\pm 5\%$	
12	Brake	220mm rear Drum Brake 110mm front drum brake	
13	Instruction	All signs instruction in the cargo shall be in English/Nepali	
14	Color	Yellow	
15	Warranty Period	1 years	
16	Roofing	Fiber resin supported by MS structure	
17	Range	80km $\pm 10\%$	
18	Throttle	Water resistant	
19	Paint	PU based oven dried	
20	Acesories	Tool kits etc	
21	Warranty service Operation and Maintenance	Min 1 years At least one Year services	

Sagar Maharjan
Engineer Reg. No. 157 'A'


Baijanath Gaupalika
Office of Rural Municipality
Rampur, Banke
Technical Specification of Electric Chaff cutter

A	General Application	Electric chaff cutter should be capable of Cutting straw, maize stalk, green grass for livestock	Make : Model: Origin of Country:
i	Power source	electric motor	
ii	Electric power (Hp)	3Hp single phase, 50Hz	
iii	Speed of motor	1440 rmp	
iv	No of Feed roller	3	
v	Attachments	Handle, Motor stand, Feeder all complete	
vi	Transmission	V belt drive	
vii	Stand	Heavy duty made of MS angle	
viii	Approx Gross wt	Min 100 kg or above	
ix	No of blades	2 blades	
x	Wheel	heavy duty Cast Iron wheel	
xi	Gear box	Heavy duty	
xii	handle	MS or polycarbonate/wood	


Sagar Maharjan
Engineer Reg. No. 157 'A'



**Baijanath Rural Municipality
Office of Rural Executive
Rampur, Banke**

S.N	Descriptions	Office Requirements	Offered by Bidder
A	General	Power tiller suitable to operate for Agricultural purpose like land preparation in silty loam textured soil of Baijanath Rural municipality and harvesting of crops	Make : Model: Gross wt: Country of origin:
B	Engine	4 stroke Diesel engine, water cooled	Make: Model: Serial no: Wt:
i	Engine Type	direct injection	
ii	Cooling	Water cooling	
iii	Displacement(Bore x Stroke)	110x115 or above	
iv	Power at rated rpm (KW)	Min 13KW or above	
v	Start	Self start	
C(i)	Transmission	V belt, Gear driving and Heavy chain	
C(ii)	Gear shifting	forward High 1,2,3 & Low 1,2,3 reverse	
D(i)	tilling width	1000-1200 mm	
D(ii)	Tiller RPM	200-275	
D(iii)	Tiller Blade Accessories	Heavy duty 28- 32 curved J blades	
e	Warranty service for both servicing & parts at	Min of 1 years	
f	Demonstration training at Baijanath Rural Municipality	1 days demonstration on basic safety operation	
g	Condition of Machine	Ready to use min 10/12 hr operation at no load condition and all complete necessary changes of lubricants adjustments etc complete as per direction of Baijanath Rural Municipality Banke	
h	Documentation	Test report from authorized agency of manufacturer country or internationally accepted agency	Test report no: Date of Issue: Testing Agency: Webcite / email or any :


Sagar Maharjan
Executive No. 157 'A'



Baljanath Rural Municipality
Office of Rural Executive
Rampur, Banke

S.N	Descriptions	Office Requirements	Offered by Bidders
A	General	Mini-tiller suitable for land preparation in rough working condition of heavy clay to silty loam textured soil	Make : Model: Gross wt: Country of origin:
B	Engine	Self start, Single cylinder ,4 stroke diesel engine	Make : Model: Country of origin:
i	Engine Type	DI diesel 4 stroke	
ii	Displacement volume	86mm bore x70 stroke mm	
iii	Rated Power (KW) at 3600 rpm	Min 5.5KW or above	
iv	Engine oil	Min 1500 ml	
V	Fuel tank capacity	5-6 liter	
C	Transmission	Gear driving	
i	Gear shifting	-1,0,1,2	
ii	Gear Oil	Min 2500 ml	
ii	Clutch type	friction plate Clutch	
iii	Controls of clutch	clutch control liver at handle	
D	Tiller		
i	tilling width	not less than 1000-1200 mm	
iii	Blade Accessories	(32-40) curved blades	
iv	Gross wt	140-150 kg	
E	1 years Warranty service period	1 years warranty service	
F	Demonstration training at site	1 days demonstration cum training on basic safety, operation & maintenance	
G	Condition of Machine	Ready to Use 10-12 hr engine operation at no load condition and all complete necessary adjustments)etc. complete as per direction of office	
H	Documentation	Test report from authorized agency of manufacturer country or internationally accepted agency	Test report no: Date of Issue: Testing Agency: Webcite/ email or any :
I	Acessories	Engine oil Gear oil etc all complete Tools set	

Sagar Maharjan
Engineer Reg. No. 157 'A'



Baljanath Rural Municipality
Office of Rural Executive
Rampur, Banke
Technical specification of Irrigation Pump

Diesel pump			
S.N	Description	Specification	Offered
i	General Application	The pump should be capable of operating to lift water for agricultural purpose	Make: Model: Gross wt: Country of origin:
ii	Rated Power of Engine	4/5 HP or Above	
iii	Engine	4 stroke Diesel engine	
iv	cylinder	Single	
v	Capacity cc	269 cc or above	
vi	Fuel tank	4-6ltr	
vii	Engine lubricant	1200 ml or above	
viii	Speed rpm	2500/2800	
ix	engine cooling	Water cooled	
x	pump size	75-100 mm	
xi	Suction head	7-9 m	
xii	discharge head	10 m or above	
xiii	discharge	5 lps or above	
xiv	Base support with wheel	Heavy duty MS angle section	
xv	Net wt	60-70 kg or above	
xvi	operating manual	English /Nepali	
xvii	Model	R170,Z170/CD170 or Eq.	

Sagar Maharjan
Engineer Reg. No. 157 'A'



Baljanath Rural Municipality
Office of Rural Executive
Rampur, Banke
Technical specification of Irrigation Pump

Irrigation pump			
S.N	Description	Specification	Offered
I	General Application	The pump should be capable of operating to lift water for agricultural purpose	Make: Model: Gross wt: Country of origin:
Ii	Rated Power of Engine	4/5 HP or above	
Iii	Engine	4 stroke petrol engine	
Iv	cylinder	Single	
V	Capacity cc	196 cc or above	
Vi	Fuel tank	3-4ltr	
Vii	Engine lubricant	1200 ml or above	
Viii	Speed rpm	3200-3600	
Ix	engine cooling	Air cooled	
X	pump size	75x75 mm	
Xi	Suction head upto	6-8 m	
Xii	discharge head	10 m or above	
Xiii	discharge	5 lps or above	
Xiv	Base support with wheel	Heavy duty MS angle section	
Xv	operating manual	English /Nepali	

Sagar Maharjan
Engineer Reg. No. 157 'A'
